



TOLERANCE ON OTHER DIMENSIONS  $\pm 1/4"$



"A" DIMENSION LESS MOTOR EYEBOLT


[illegible]

RIGHT HAND ROTATION.



| MOTOR      |        | UNITS | DIMENSIONS |       |  |  |  |  |  |  |  |  |
|------------|--------|-------|------------|-------|--|--|--|--|--|--|--|--|
| FRAME SIZE | BASE   |       | A          | B     |  |  |  |  |  |  |  |  |
| 182T       | 901900 | IN    | 11.88      | 45    |  |  |  |  |  |  |  |  |
| 184T       | 901900 | IN    | 11.88      | 45    |  |  |  |  |  |  |  |  |
| 213T       | 901900 | IN    | 13.68      | 47.88 |  |  |  |  |  |  |  |  |
| 215T       | 901900 | IN    | 13.68      | 47.88 |  |  |  |  |  |  |  |  |
| 254T       | 901900 | IN    | 15.13      | 52    |  |  |  |  |  |  |  |  |
| 256T       | 901900 | IN    | 15.13      | 52    |  |  |  |  |  |  |  |  |

LEFT HAND ROTATION.



| MOTOR      |        | UNITS | DIMENSIONS |       |  |  |  |  |  |  |  |  |
|------------|--------|-------|------------|-------|--|--|--|--|--|--|--|--|
| FRAME SIZE | BASE   |       | A          | B     |  |  |  |  |  |  |  |  |
| 182T       | 901900 | IN    | 11.88      | 45    |  |  |  |  |  |  |  |  |
| 184T       | 901900 | IN    | 11.88      | 45    |  |  |  |  |  |  |  |  |
| 213T       | 901900 | IN    | 13.68      | 47.88 |  |  |  |  |  |  |  |  |
| 215T       | 901900 | IN    | 13.68      | 47.88 |  |  |  |  |  |  |  |  |
| 254T       | 901900 | IN    | 15.13      | 52    |  |  |  |  |  |  |  |  |
| 256T       | 901900 | IN    | 15.13      | 52    |  |  |  |  |  |  |  |  |