

PARTS LIST
PUMPS
CC8-50 A - CC8-65 A

Keep this parts lists with Installation, Operation and Maintenance Instructions.

To order the required spare parts, indicate the desired Reference(s).

- ◆ Sets of parts or parts available to order.

GN : Pump with grease


LTG : Pump with Lifetime bearing

Z.I. la Plaine des Isles - 2 rue des Caillottes F-89000 AUXERRE - France

Tél : +33 (0)3 86 49 86 30

contact.mouvex@psgdover.com • www.mouvex.com




CC8-50 A - CC8-65 A




COUPE B-B

Option roulements graissés avec graisseur (GN)
(Option for lubricated bearings with grease fitting)


Option roulements graissés à vie (LTG)
(Lifetime lubricated bearing option)



CC8-50 AP with 12 vanes and pushrods




Mechanical seal




Pneumatic bypass

Without spring




With spring




ACCESSORIES

Filter PF CC8



Hydraulic driving



CC8-50 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
98 410 411 412 723 856	◆	SET OF SCREWS SCREW SCREW NUT SCREW SCREW	1 (8) (4) (4) (6) (3)	AUX304570		
98C	◆	FRONT COVER EXTRACTOR CC8_28 40 50 65	1	AUX316025		
99 126 403 807	◆	SET OF PUMP SEALS SEAL O-RING O-RING	1 (2) (2) (1)	AUX302468		
100 101 124 125 126	◆ ◆	CASING ASSEMBLY BODY FRONT COVER DRAIN PLUG + SEALS SCREW SEAL	1 (1) 1 (2) (2)	AUX301882 AUX301861		
300 300 301 317	◆ ◆	ROTOR ASSEMBLY (6 VANES WITH HOLES) ROTOR ASSEMBLY (6 VANES) ROTOR VANE	1 1 (1) (6)	AUX305708 AUX301883		●
300 300 301 317 318	◆ ◆	ROTOR ASSEMBLY (12 VANES) ROTOR ASSEMBLY (12 VANES WITH HOLES) ROTOR VANE PUSHROD	1 1 (1) (12) (6)	AUX311320 AUX306000		● ●
309 309 317	◆ ◆	SET OF 6 VANES WITH HOLES SET OF 6 VANES VANE	1 1 (6)	AUX305705 AUX304369	■ ■	●
309 309 317	◆ ◆	SET OF 12 VANES TVP WITH HOLES SET OF 12 VANES TVP VANE	1 1 (12)	AUX307787 AUX307788	■ ■	●
325 318	◆	SET OF 6 PUSHRODS PUSHROD	1 (6)	AUX308722	■	●
400 400 401 410 411 412 708 708C	◆ ◆	END PLATE ASSEMBLY (GN) END PLATE ASSEMBLY (LTG) FRONT COVER SCREW SCREW NUT GREASE NIPPLE (GN) SCREW (LTG)	2 2 (1) (4) (2) (2) (2) (2)	AUX301880 AUX322349		
409 403	◆	SET OF FRONT COVER O-RINGS O-RING	1 (2)	AUX304366	■	
500 501 599 508 536 537	◆ ◆	SHAFT ASSEMBLY (WITHOUT PUSHRODS) SHAFT SET OF KEYS KEY KEY CIRCLIPS	1 (1) 1 (1) (1) (2)	AUX301885 AUX302467	■	
500 501 599 508 536 537 731	◆ ◆	SHAFT COMPLETE FOR PUMP WITH PUSHRODS SHAFT SET OF KEYS - PUMP WITH PUSHRODS KEY KEY CIRCLIPS WASHER	1 (1) 1 (1) (2) (2) (2)	AUX307081 AUX307084	■	

CC8-50 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
630	◆	MECHANICAL SEAL ASSEMBLY B/I FKM	2	AUX319894	■	
630	◆	MECHANICAL SEAL ASSEMBLY CRI FKM	2	AUX301867	■	
604		STATIONARY SEAL FACE	(1)			●
605		O-RING	(1)			●
612		SEAL HOUSING	(1)			●
613		O-RING	(1)			●
614		SPRING GUIDE	(1)			
615		SPRING	(3)			
616		CAGE	(1)			
699	◆	SET OF MECHANICAL SEAL O'RINGS (605+613)	1	AUX308520		
605		O-RING	(1)			●
613		O-RING	(1)			●
700	◆	COMPLETE COVER SIDE OPPOSITE TO DRIVE SYSTEM CC8-50 (GN)	1	AUX304699		
700	◆	COMPLETE COVER SIDE OPPOSITE TO DRIVE SYSTEM CC8-50 (LTG)	1	AUX322354	■	
703		BALL BEARING	(2)			●
712		COVER	(1)			
714		O-RING	(1)			
723		SCREW	(3)			
733		METALLIC SEAL	(1)			
734		SPACER	(1)			
700A	◆	COMPLETE COVER CC8-50 (GN)	1	AUX304700		
700A	◆	COMPLETE COVER CC8-50 (LTG)	1	AUX322347	■	
703A		BALL BEARING	(2)			
705		COVER	(1)			
707		LIP SEAL	(1)			●
714A		O-RING	(1)			
723A		SCREW	(3)			
733A		METALLIC SEAL	(1)			
734A		SPACER	(1)			
700A	◆	BEARING ASSEMBLY (FOR HYDRAULIC DRIVE) (GN)	1	AUX305516		
700A	◆	BEARING ASSEMBLY (FOR HYDRAULIC DRIVE) (LTG)	1	AUX322348	■	
703A		BALL BEARING	(2)			
733A		METALLIC SEAL	(1)			
734A		SPACER	(1)			
704	◆	SET OF 4 BALL BEARINGS (GN)	1	AUX312102	■	
704	◆	SET OF 4 BALL BEARINGS (LTG)	1	AUX322687	■	
703		BALL BEARING	(4)			●
704A	◆	SET OF PLUGS 404	1	AUX312103		
404		PLUG	(2)			
715	◆	SET OF COVER SEALS (707+714+733)	1	AUX304720	■	
707		LIP SEAL	(1)			●
714		O-RING	(2)			
733		METALLIC SEAL	(2)			
771	◆	SAE-A HYDRAULIC TRUNK ASSEMBLY	1	AUX318898		
546A	◆	COUPLING	1	AUX220754		
710	◆	SHIM	1	AUX204831		
781		SCREW	(3)			
782		WASHER	(3)			
786	◆	HYDRAULIC TRUNK	1	AUX237195		
787		COVER	(1)			
788		SCREW	(4)			
789		WASHER	(4)			

CC8-50 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
771	◆	CBN HYDRAULIC TRUNK ASSEMBLY	1	AUX304155		
546A	◆	COMPLETE COUPLING	1	AUX307286		
546		COUPLING FLANGE	(1)			
547	◆	ELASTIC TRANSITIONAL RING	1	AUX209603		●
548		COUPLING FLANGE D30	(1)			
549		COUPLING SLEEVE D24	(1)			
549A		COUPLING SLEEVE D22	(1)			
710	◆	SHIM	1	AUX204831		
781		SCREW	(3)			
782		WASHER	(3)			
783		SCREW	(2)			
783A		SCREW	(2)			
784		WASHER	(4)			
785		NUT	(2)			
786	◆	HYDRAULIC TRUNK	1	AUX228594		
787		COVER	(1)			
788		SCREW	(2)			
789		WASHER	(2)			
800	◆	PNEUMATIC BYPASS WITHOUT SPRING WITHOUT PRESSURE LIMITER	1	AUX311232		
801		COVER	(1)			
802		PLATE	(1)			
803		SCREW	(2)			
804		O-RING	(1)			
805		SCREW	(3)			
807		O-RING	(1)			
810	◆	MEMBRANE PUSHRODS ASSEMBLY CC8 40-50-65 A	1	AUX301898		
811		SHAFT	(1)			
812		MEMBRANE DISC	(2)			
813	◆	MEMBRANE	1	AUX204848	■	●
814		BLIND NUT	(1)			
815		SEAL	(1)			
823	◆	VALVE	1	AUX218445		
829		BEARING	(1)			
800	◆	PNEUMATIC BYPASS WITHOUT SPRING WITH PRESSURE LIMITER	1	AUX301897		
801		COVER	(1)			
802		PLATE	(1)			
803		SCREW	(2)			
804		O-RING	(1)			
805		SCREW	(3)			
807		O-RING	(1)			
810	◆	MEMBRANE PUSHRODS ASSEMBLY CC8 40-50-65 A	1	AUX301898		
811		SHAFT	(1)			
812		MEMBRANE DISC	(2)			
813	◆	MEMBRANE	1	AUX204848	■	●
814		BLIND NUT	(1)			
815		SEAL	(1)			
823	◆	VALVE	1	AUX218445		
829		BEARING	(1)			
930	◆	PRESSURE LIMITER 5,5 BAR	1	AUX303353		
816	◆	PNEUMATIC BYPASS O'RINGS (804+807)	1	AUX301899		
804		O-RING	(1)			
807		O-RING	(1)			

CC8-50 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
820	◆	COMPLETE MECHANICAL BYPASS	1	AUX301891		
823A	◆	COMPENSATED VALVE	1	AUX204839		
827		BYPASS CAP	(1)			
898	◆	PRESSURE SCREW ASSEMBLY	1	AUX301893		
807A		O-RING	(1)			
825		SPRING BASE	(1)			
826		ADJUSTING SCREW	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			
856		SCREW	(3)			
820	◆	PNEUMATIC BYPASS WITH SPRING WITHOUT PRESSURE LIMITER	1	AUX311545		
802		PLATE	(1)			
803		SCREW	(2)			
804		O-RING	(1)			
805		SCREW	(3)			
807		O-RING	(1)			
810	◆	MEMBRANE PUSHRODS ASSEMBLY CC8 40-50-65 A	1	AUX301898		
811		SHAFT	(1)			
812		MEMBRANE DISC	(2)			
813	◆	MEMBRANE	1	AUX204848	■	●
814		BLIND NUT	(1)			
815		SEAL	(1)			
823	◆	VALVE	1	AUX211605		
829		BEARING	(1)			
841		CAP	(1)			
845	◆	PRESSURE SCREW ASSEMBLY	1	AUX301901		
826		ADJUSTING SCREW	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			
842	◆	SPRING	1	AUX201222		
843		SPRING GUIDE	(1)			
846		WASHER	(1)			
824	◆	SPRING 4 BAR	1	AUX219106		
824	◆	8 BAR SPRING	1	AUX322427		

CC8-50 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
840	◆	PNEUMATIC BYPASS WITH SPRING WITH PRESSURE LIMITER	1	AUX301900		
802A		PLATE	(1)			
803		SCREW	(2)			
804		O-RING	(1)			
805		SCREW	(3)			
807		O-RING	(1)			
810	◆	MEMBRANE PUSHRODS ASSEMBLY CC8 40-50-65 A	1	AUX301898		
811		SHAFT	(1)			
812		MEMBRANE DISC	(2)			
813	◆	MEMBRANE	1	AUX204848	■	●
814		BLIND NUT	(1)			
815		SEAL	(1)			
823	◆	VALVE	1	AUX211605		
829		BEARING	(1)			
841		CAP	(1)			
845	◆	PRESSURE SCREW ASSEMBLY	1	AUX301901		
826		ADJUSTING SCREW	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			
842	◆	SPRING	1	AUX201222		
843		SPRING GUIDE	(1)			
846		WASHER	(1)			
930	◆	PRESSURE LIMITER 3,6 BAR	1	AUX303352		
844	◆	FULL SET OF SEALS + SCREWS	1	AUX301902		
804		O-RING	(1)			
807		O-RING	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			
899	◆	SET OF BYPASS SEALS	1	AUX301895		
807		O-RING	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			

CC8-65 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
98	◆	FULL SET OF SCREWS	1	AUX301865		
410		SCREW	(8)			
411		SCREW	(4)			
412		NUT	(4)			
723		SCREW	(6)			
856		SCREW	(3)			
98C	◆	FRONT COVER EXTRACTOR CC8_28 40 50 65	1	AUX316025		
99	◆	SET OF PUMP SEALS	1	AUX301914		
126		SEAL	(2)			
403		O-RING	(2)			
807		O-RING	(1)			
100	◆	CASING ASSEMBLY	1	AUX301908		
101		BODY	(1)			
124	◆	FRONT COVER DRAIN PLUG + SEALS	1	AUX301861		
125		SCREW	(2)			
126		SEAL	(2)			
300	◆	ROTOR ASSEMBLY (6 VANES)	1	AUX301909		
300	◆	ROTOR ASSEMBLY (6 VANES WITH HOLES)	1	AUX302475		
301		ROTOR	(1)			
317		VANE	(6)			●
309	◆	SET OF 6 VANES	1	AUX304377	■	
309	◆	SET OF 6 VANES WITH HOLES	1	AUX304380	■	
317		VANE	(6)			●
400	◆	END PLATE ASSEMBLY	2	AUX301911		
401		FRONT COVER	(1)			
404		PIN	(2)			
410		SCREW	(4)			
411		SCREW	(2)			
412		NUT	(2)			
409	◆	SET OF FRONT COVER O-RINGS	1	AUX304378	■	
403		O-RING	(2)			
500	◆	SHAFT ASSEMBLY	1	AUX301912		
501		SHAFT	(1)			
599	◆	SET OF KEYS	1	AUX301913	■	
508		KEY	(1)			
536		KEY	(1)			
537		CIRCLIPS	(2)			
630	◆	MECHANICAL SEAL ASSEMBLY B/I FKM	2	AUX322213	■	
630	◆	MECHANICAL SEAL ASSEMBLY CRI FKM	2	AUX301916	■	
604		STATIONARY SEAL FACE	(1)			●
605		O-RING	(1)			●
612		SEAL HOUSING	(1)			●
613		O-RING	(1)			●
614		SPRING GUIDE	(1)			
615		SPRING	(3)			
616		CAGE	(1)			
699	◆	SET OF MECHANICAL SEAL SEALS FKM	1	AUX301918		
699	◆	SET OF MECHANICAL SEAL SEALS FKM HT	1	AUX301919		
605		O-RING	(2)			●
613		O-RING	(2)			●
700	◆	COMPLETE COVER SIDE OPPOSITE TO DRIVE SYSTEM CC8-65 A	1	AUX304712		
703		BALL BEARING	(2)			●
712		COVER	(1)			
714		O-RING	(1)			
723		SCREW	(3)			
733		METALLIC SEAL	(1)			
734		SPACER	(1)			

CC8-65 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
700A	◆	COMPLETE COVER DRIVE SIDE CC8 65 A	1	AUX304713		
703A		BALL BEARING	(2)			
705		COVER	(1)			
707		LIP SEAL	(1)			●
714A		O-RING	(1)			
723A		SCREW	(3)			
733A		METALLIC SEAL	(1)			
734A		SPACER	(1)			
700A	◆	BEARING ASSEMBLY (FOR HYDRAULIC DRIVE)	1	AUX305518		
703B		BALL BEARING	(2)			
733B		METALLIC SEAL	(1)			
734B		SPACER	(1)			
704	◆	SET OF 4 BALL BEARINGS	1	AUX304379	■	
703		BALL BEARING	(4)			●
721		SCREW	(4)			
715	◆	SET OF COVER SEALS (707+714+733)	1	AUX304722	■	
707		LIP SEAL	(1)			●
714		O-RING	(2)			
733		METALLIC SEAL	(2)			
771	◆	SAE-A HYDRAULIC TRUNK ASSEMBLY	1	AUX318898		
546A	◆	COUPLING	1	AUX220754		
710	◆	SHIM	1	AUX204831		
781		SCREW	(3)			
782		WASHER	(3)			
786	◆	HYDRAULIC TRUNK	1	AUX237195		
787		COVER	(1)			
788		SCREW	(4)			
789		WASHER	(4)			
771	◆	CBN HYDRAULIC TRUNK ASSEMBLY	1	AUX304155		
546A	◆	COMPLETE COUPLING	1	AUX307286		
546		COUPLING FLANGE	(1)			
547	◆	ELASTIC TRANSITIONAL RING	1	AUX209603		●
548		COUPLING FLANGE D30	(1)			
549		COUPLING SLEEVE D24	(1)			
549A		COUPLING SLEEVE D22	(1)			
710	◆	SHIM	1	AUX204831		
781		SCREW	(3)			
782		WASHER	(3)			
783		SCREW	(2)			
783A		SCREW	(2)			
784		WASHER	(4)			
785		NUT	(2)			
786	◆	HYDRAULIC TRUNK	1	AUX228594		
787		COVER	(1)			
788		SCREW	(2)			
789		WASHER	(2)			

CC8-65 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
800	◆	PNEUMATIC BYPASS WITHOUT SPRING WITH PRESSURE LIMITER	1	AUX304567		
801		COVER	(1)			
802		PLATE	(1)			
803		SCREW	(2)			
804		O-RING	(1)			
805		SCREW	(3)			
807		O-RING	(1)			
810	◆	MEMBRANE PUSHRODS ASSEMBLY CC8 40-50-65 A	1	AUX301898		
811		SHAFT	(1)			
812		MEMBRANE DISC	(2)			
813	◆	MEMBRANE	1	AUX204848	■	●
814		BLIND NUT	(1)			
815		SEAL	(1)			
823	◆	VALVE	1	AUX218445		
829		BEARING	(1)			
930	◆	PRESSURE LIMITER 5,5 BAR	1	AUX303353		
816	◆	PNEUMATIC BYPASS O'RINGS (804+807)	1	AUX301899		
804		O-RING	(1)			
807		O-RING	(1)			
820	◆	BYPASS COMPLETE	1	AUX304571		
823A	◆	COMPENSATED VALVE	1	AUX204839		
827		BYPASS CAP	(1)			
898	◆	PRESSURE SCREW ASSEMBLY	1	AUX304566		
807A		O-RING	(1)			
825		SPRING BASE	(1)			
826A		ADJUSTING SCREW	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			
856		SCREW	(3)			
824	◆	SPRING 4 BAR	1	AUX219106		
824	◆	8 BAR SPRING	1	AUX322427		
840	◆	PNEUMATIC BYPASS WITH SPRING WITH PRESSURE LIMITER	1	AUX301900		
802A		PLATE	(1)			
803		SCREW	(2)			
804		O-RING	(1)			
805		SCREW	(3)			
807		O-RING	(1)			
810	◆	MEMBRANE PUSHRODS ASSEMBLY CC8 40-50-65 A	1	AUX301898		
811		SHAFT	(1)			
812		MEMBRANE DISC	(2)			
813	◆	MEMBRANE	1	AUX204848	■	●
814		BLIND NUT	(1)			
815		SEAL	(1)			
823	◆	VALVE	1	AUX211605		
829		BEARING	(1)			
841		CAP	(1)			
845	◆	PRESSURE SCREW ASSEMBLY	1	AUX301901		
826		ADJUSTING SCREW	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			
842	◆	SPRING	1	AUX201222		
843		SPRING GUIDE	(1)			
846		WASHER	(1)			
930	◆	PRESSURE LIMITER 3,6 BAR	1	AUX303352		

CC8-65 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
844	◆	FULL SET OF SEALS + SCREWS	1	AUX301902		
804		O-RING	(1)			
807		O-RING	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			
899	◆	SET OF BYPASS SEALS	1	AUX301895		
807		O-RING	(1)			
831		PIN	(1)			
834		NUT	(1)			
835		NUT	(1)			
837		O-RING	(1)			

CC8-50 A - CC8-65 A

* 1, 2, 4... : Quantity in equipment - (1), (2), (4)... : Quantity in kit

Item	Available	Description	Qty*	Ref.	Maintenance kit	Wear part
		HYDRAULIC MOTOR External gear technology. Not reversible (one direction) to be fitted on the suction side port. Equiped with straight flanges G3/4.				
352	◆	HYDRAULIC MOTOR 40CC	1	AUX229966		
352	◆	HYDRAULIC MOTOR 50CC	1	AUX229967		
352	◆	HYDRAULIC MOTOR 60CC	1	AUX229968		
129A	◆	SET OF 2 COMPANION FLANGES CC8 DN91, COMPLETE - STEEL	1	AUX302474		
129A	◆	SET OF 2 COMPANION FLANGES CC8 DN91, COMPLETE - STAINLESS STEEL (129+131+132)	1	AUX310323		
131	◆	GASKET	(2)	AUX223098	■	
	◆	FILTER PF CC8 DN80 ALU (2+3+4+5+6+6A+7+8+10+11+12+13+14+15+16)				
	◆	STEEL GRIDS 1-4	1	AUX320432		
	◆	STAINLESS STEEL GRIDS 1-4	1	AUX320433		
	◆	STEEL GRIDS 0,5-4 (CC8-50)	1	AUX320430		
4 (4A+8)	◆	BODY	(1)	AUX320431		
8 (14+15+16)	◆	ROTATING BOLTS ASSEMBLY	(1)	AUX302030		
3 (5+6+7+12+13)	◆	COVER ASSEMBLY (STEEL 1 MM GRID)	(1)	AUX302529		
3 (5+6+7+12+13)	◆	COVER ASSEMBLY (STAINLESS STEEL 1 MM GRID)	(1)	AUX302530		
3 (5+6+7+12+13)	◆	COVER ASSEMBLY (STEEL 0,5 MM GRID)	(1)	AUX318308		
7	◆	O-RING	(1)	AUX200874	■	
13 (10+11)	◆	FRONT COVER DRAIN PLUG + SEAL	(1)	AUX302044		
6A	◆	GRID 1 MM (STEEL)	(1)	AUX241193		
6A	◆	GRID 1 MM (STAINLESS STEEL)	(1)	AUX241194		
6A	◆	GRID 0,5 MM (STEEL)	(1)	AUX241192		
	◆	FILTER PF CC8 DN80 STAINLESS STEEL (2+3+4+5+6+6A+7+8+10+11+12+13+14+15+16)				
	◆	STAINLESS STEEL GRIDS 1-4	1	AUX316080		
	◆	STAINLESS STEEL GRIDS 0,5-4 (CC8-50)	1	AUX318780		
4 (4A+8)	◆	BODY	(1)	AUX314545		
8 (14+15+16)	◆	ROTATING BOLTS ASSEMBLY	(1)	AUX307246		
3 (5+6+7+12+13)	◆	COVER ASSEMBLY	(1)	AUX314546		
7	◆	O-RING	(1)	AUX200874	■	
13 (10+11)	◆	FRONT COVER DRAIN PLUG + SEAL	(1)	AUX307249		
6A	◆	GRID 1 MM (STAINLESS STEEL)	(1)	AUX204723		
6A	◆	GRID 0,5 MM (STAINLESS STEEL)	(1)	AUX236144		
	◆	SET OF 2 COMPANION FLANGES PF CC8, COMPLETE - STEEL (104+131+132+132A+134)	1	AUX316163		

Filter PF CC8 :

- (1) The cover design changed in September 2011, the gasket 7 is replaced by an O'ring.
The cover assembly is interchangeable.
The gasket 7 is no more supplied. In case of need, the complete cover assembly has to be replaced.
- (2) The cover design change modified the grid length which is no more interchangeable.
In this case, the complete cover assembly has to be replaced.